## IN THE CLAIMS

Please amend the claims as follows:

- 1. (Currently Amended) A method of preventing hypocalcemia, wherein characterized in that a vitamin D derivative is transvaginally administered to a domestic mammal.
- 2. (Currently Amended) The method of preventing hypocalcemia as claimed in claim 1, wherein in which the domestic mammal is a cow.
- 3. (Currently Amended) The method of preventing hypocalcemia as claimed in claim 1 [[or 2]], including administering an intravaginal insert containing the vitamin D derivative to a vaginal cavity.
- 4. (Currently Amended) The method of preventing hypocalcemia as claimed in <u>claim</u>

  1, wherein any one of claims 1 to 3, in which the vitamin D derivative administered intravaginally is absorbed in the vaginal cavity of the domestic mammal to increase a calcium concentration in the body, thereby preventing the disease.
- 5. (Currently Amended) The method of preventing hypocalcemia as claimed in <u>claim</u> 1, wherein any one of claims 1 to 4, in which the vitamin D derivative is  $1\alpha$ -hydroxyvitamin D<sub>3</sub> or 1,25-dihydroxyvitamin D<sub>3</sub>.

.

- 6. (Original) A method of curing hypocalcemia, including transvaginally administering a vitamin D derivative to a domestic mammal.
- 7. (Currently Amended) The method of curing hypocalcemia as claimed in claim 6, wherein in which the domestic mammal is a cow.
- 8. (Currently Amended) The method of curing hypocalcemia as claimed in claim 6 [[or 7]], including administering an intravaginal insert containing the vitamin D derivative to a vaginal cavity.
- 9. (Currently Amended) The method of curing hypocalcemia as claimed in <u>claim 6</u>, wherein any one of claims 6 to 8, in which the vitamin D derivative administered intravaginally is absorbed in the vaginal cavity of the domestic mammal to increase a calcium concention in the body, thereby curing the disease.
- 10. (Currently Amended) The method of curing hypocalcemia as claimed in claim 6, wherein any one of claims 6 to 9, in which the vitamin D derivative is  $1\alpha$ -hydroxyvitamin  $D_3$  or 1,25-dihydroxyvitamin  $D_3$ .
- 11. (Currently Amended) A method of treating hypocalcemia, wherein characterized in that a vitamin D derivative is transvaginally administered to a domestic mammal.

- 12. (Currently Amended) The method of treating hypocalcemia as claimed in claim 11, wherein [[in which]] the domestic mammal is a cow.
- 13. (Currently Amended) The method of treating hypocalcemia as claimed in claim 11 [[or 12]], including administering an intravaginal insert containing the vitamin D derivative to a vaginal cavity.
- 14. (Currently Amended) The method of treating hypocalcemia as claimed in <u>claim 11</u>, wherein any one of claims 11 to 13, in which the vitamin D derivative administered intravaginally is absorbed in the vaginal cavity of the domestic mammal to increase a calcium concentration in the body, thereby treating the disease.
- 15. (Currently Amended) The method of treating hypocalcemia as claimed in claim 11, wherein any one of claims 11 to 14, in which the vitamin D derivative is  $1\alpha$ -hydroxyvitamin  $D_3$  to 1,25-dihydroxyvitamin  $D_3$ .

-